

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

Delta 8

ample ID: SA-230605-224 atch: 205253 rpe: Finished Product - Ir atrix: Edible - Gummy nit Mass (g): 5.07964		Received: 05/26/2 Completed: 05/30		Client Root Wellnes 33 South Mai Winter Garde USA	n St.
			Summary		
			Test	Date Tested	Status
			Cannabinoids	05/30/2023	Tested
0.0488 %	0.498 %	0.546 %	Not Tested	Not Tested	Yes
0.0466 %	0.498 %	0.546 %	Not rested	Not lested	res
				Contain Manfau	Internal Standard
Total ∆9-THC	Δ8-THC To	otal Cannabinoids	Moisture Content	Foreign Matter	Normalization
	A8-THC TC				
annabinoids by			or GC-MS/MS		
annabinoids by nalyte 3C	y HPLC-PDA, LC-I LOD (%) 0.00095	MS/MS, and/ LC (9 0.00	or GC-MS/MS	Result (%) ND	Result (mg/unit) ND
annabinoids by nalyte IC ICA	y HPLC-PDA, LC-I LOD (%) 0.00095 0.00181	MS/MS, and/ LC (9 0.00 0.00	or GC-MS/MS	Result (%) ND ND	Result (mg/unit) ND ND
annabinoids by alyte C CA CV	y HPLC-PDA, LC-I LOD (%) 0.00095 0.00181 0.0006	MS/MS, and/ LC (% 0.00 0.00 0.00	or GC-MS/MS	Result (%) ND ND ND	Normalization Result (mg/unit) ND ND ND ND
annabinoids by alyte c cA cV D	y HPLC-PDA, LC-I LOD (%) 0.00095 0.00181 0.0006 0.00081	MS/MS, and/ (% 0.00 0.00 0.00 0.00 0.00 0.00	or GC-MS/MS	Result (%) ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND
annabinoids by alyte c ca cv D DA	y HPLC-PDA, LC-1 LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043	MS/MS, and/ (% 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	or GC-MS/MS 00 01 1284 1543 018 1242 013	Result (%) ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND ND
annabinoids by alyte C CA CV D DA DV	y HPLC-PDA, LC-I LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061	MS/MS, and/ (9 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	or GC-MS/MS	Result (%) ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND ND ND ND
annabinoids by alyte C C CA CV D D D D D D D D D D D D D D D D D D	y HPLC-PDA, LC-1 LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021	MS/MS, and/ (9 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	or GC-MS/MS 00 0284 0543 018 0242 013 0182 0063	Result (%) ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND
annabinoids by malyte SC SCA SCV SD SDA SDV SDV SDVA SG	y HPLC-PDA, LC-1 LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00021 0.00057	MS/MS, and/ (9 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	or GC-MS/MS 00 0284 0543 018 0242 013 0182 0063 0172	Result (%) ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND N
annabinoids by malyte SC SCA SCV SD SDA SDA SDV SDVA SG SGA	y HPLC-PDA, LC-1 LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00021 0.00057 0.00049	MS/MS, and/ (9 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	or GC-MS/MS 00 01 1284 1543 018 1242 013 0182 1063 0172 0147	Result (%) ND ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND N
annabinoids by malyte SC SCA SCV SD SDA SDA SDA SDA SC SGA SGA SL	y HPLC-PDA, LC-1 LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00021 0.00057 0.00049 0.00112	MS/MS, and/ (9 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	or GC-MS/MS 00 0284 0543 018 0242 013 0182 0063 0172 0147 0335	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND N
annabinoids by malyte SC SCA SCV SDA SDA SDA SDA SDA SCA SCA SAA SAA	y HPLC-PDA, LC-1 LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124	MS/MS, and/ (9 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	or GC-MS/MS	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND N
annabinoids by nalyte BC BCA BCA BCA BDA BDA BDA BDA BDA BDA BCA BLA BLA BN	y HPLC-PDA, LC-1 LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00056	MS/MS, and/ (9 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	or GC-MS/MS 00 0284 0543 018 0242 013 0182 0063 0172 0147 0335 0371 0169	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND ND ND ND ND ND ND N
annabinoids by nalyte 3C 3CA 3CV 3D 3DA 3DA 3DV 3DA 3DV 3DA 3CA 3A 3A 3A 3A 3A 3A 3A	y HPLC-PDA, LC-I LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00056 0.0006	MS/MS, and/ (9 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	or GC-MS/MS 00 0284 0543 018 0242 013 0182 0063 0172 0147 0335 0371 0169 0181	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND
annabinoids by halyte BC BCA BCA BCA BCA BCA BDA BDA BDA BDA BDA BDA BDA BDA BDA BD	y HPLC-PDA, LC-I LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018	MS/MS, and/ (9 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	or GC-MS/MS 00 0284 0543 018 0242 013 0182 0063 0172 0147 0335 0371 0169 0181 054	Result (%) ND ND ND ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/unit) ND
annabinoids by halyte BC BCA BCA BCA BCA BCA BCA BDA BDA BDA BDA BDA BDA BDA BDA BDA BD	y HPLC-PDA, LC-I LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104	MS/MS, and/ (9 0.00 0	or GC-MS/MS 00 0284 0543 018 0242 013 0182 0063 0172 0147 0335 0371 0169 0181 0254 0312	Result (%) ND ND ND	Normalization Result (mg/unit) ND
annabinoids by malyte BC BCA BCA BCA BCA BCA BCA BDA BDA BDA BDA BDA BDA BDA BCA BA BA BA BA BA BA BA BA BA BA BA BA BA	y HPLC-PDA, LC-I LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00056 0.0006 0.00124 0.00056 0.0006 0.0018 0.00104 0.00076	MS/MS, and/ (9 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	or GC-MS/MS 00 0284 0543 018 0242 013 0182 0063 0172 0147 0335 0371 0169 0181 0254 0312 027	Result (%) ND ND ND	Result (mg/unit)ND25.32.48
annabinoids by malyte BC BCA BCA BCA BCA BCA BDA BDA BDA BDA BDA BDA BDA BDA BDA BD	y HPLC-PDA, LC-I LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104 0.00104 0.00076 0.00084	MS/MS, and/ (9 0.00 0	or GC-MS/MS 00 0284 0543 018 0242 013 0182 0063 0172 0147 0335 0371 0169 0181 0254 0254 0227 0225	Result (%) ND ND ND	Result (mg/unit)ND25.32.48ND
annabinoids by nalyte BC BCA BCA BCA BCA BCA BCA BCA BDA BDA BDA BDA BDA BDA BCA BA BA BA BA BA BA BA BA BA BA BA BA BA	y HPLC-PDA, LC-I LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104 0.00104 0.00076 0.00084 0.00069	MS/MS, and/ (9 0.00 0	or GC-MS/MS 00 0284 0543 018 0242 013 0182 0063 0172 0147 0335 0371 0169 0181 0254 0312 0254 0212 0227 0251 0206	Result (%) ND ND	Result (mg/unit)ND
	y HPLC-PDA, LC-I LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104 0.00104 0.00076 0.00084	MS/MS, and/ (9 0.00 0	or GC-MS/MS 00 0284 0543 018 0242 013 0182 0063 0172 0147 0335 0371 0169 0181 0254 0254 0227 0225	Result (%) ND ND ND	Result (mg/unit)ND25.32.48ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 06/05/2023

Tested By: Nicholas Howard

ested By: Nicholas Howarc Scientist Date: 05/30/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.